ELSEVIER

Analytica Chimica Acta 475 (2003) 191–192

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Agnoli, F., see Mazzocchin, G.A. 181
Amendola, L.
—, Colamonici, C., Mazzarino, M. and Botrè, F.
Rapid determination of diuretics in human urine by gas chromatography–mass spectrometry following microwave assisted derivatization 125
Assiongbon, K.A., see Garland, J.E. 47

Bakkali, A., see Korta, E. 97
Ballesteros, B.
—, Barceló, D., Dankwardt, A., Schneider, P. and Marco, M.-P.
Evaluation of a field-test kit for triazine herbicides (SensioScreen® TR500) as a fast assay to detect pesticide contamination in water samples 105
Barceló, D., see Ballesteros, B. 105
Barisci, J.N., see Minett, A.I. 37
Berrueta, L.A., see Korta, E. 97
Bogdanov, S., see Korta, E. 97
Booksh, K.S., see Nikolajsen, R.P.H. 137
Botrè, F., see Amendola, L. 125
Bro, R., see Nikolajsen, R.P.H. 137

Cho, Y.A., see Kim, Y.J. 85
Choi, K.S., see Lee, C.H. 171
Colamonici, C., see Amendola, L. 125

Dankwardt, A., see Ballesteros, B. 105
Delépée, R.
— and Pouliquen, H.
Ion-paired solid phase extraction as a sample preparation strategy for the high-performance liquid chromatographic determination of oxytetracycline in the bryophyte *Fontinalis antipyretica* 117

Ellington, A.D., see Hall, B. 67

Fujimoto, S., see Matsunaga, T. 75

Gallo, B., see Korta, E. 97
Ganjali, M.R.
—, Naji, L., Poursaberi, T., Shamsipur, M. and Haghgoo, S.
Ytterbium(III)-selective membrane electrode based on cefixime 59
Garland, J.E.
—, Assiongbon, K.A., Pettit, C.M. and Roy, D.
Surface plasmon resonance transients at an electrochemical interface: time resolved measurements using a bicell photodiode 47
Gee, S.J., see Kim, Y.J. 85
Goda, Y., see Matsunaga, T. 75
Guchardi, R., see Knake, R. 17

Haghgoo, S., see Ganjali, M.R. 59
Hall, B.
— and Ellington, A.D.
Survival and polymerase chain reaction-based detection of nucleic acid taggant markers during bacterial growth and sterilization 67
Hammock, B.D., see Kim, Y.J. 85
Hanada, M.
—, Koda, H., Onaga, K., Tanaka, K., Okabayashi, T., Itoh, T. and Miyazaki, H.
Portable oral malodor analyzer using highly sensitive In_2O_3 gas sensor combined with a simple gas chromatography system 27
Hansen, A.M., see Nikolajsen, R.P.H. 137
Hauser, P.C., see Knake, R. 17
Huang, C.Z., see Lu, W. 151

Itoh, T., see Hanada, M. 27

Ju, H., see Zhang, S. 163

Kim, J.S., see Lee, C.H. 171
Kim, W.H., see Lee, C.H. 171
Kim, Y.J.
—, Cho, Y.A., Lee, H.-S., Lee, Y.T., Gee, S.J. and Hammock, B.D.
Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity 85
Knake, R.
—, Guchardi, R. and Hauser, P.C.
Quantitative analysis of gas mixtures by voltammetric sensing 17
Koda, H., see Hanada, M. 27
Korta, E.
—, Bakkali, A., Berrueta, L.A., Gallo, B., Vicente, F. and Bogdanov, S.
Determination of amitraz and other acaricide residues in beeswax 97

PII: S0003-2670(02)01461-7

Lee, C.H.
—, Suh, M.Y., Choi, K.S., Kim, J.S., Park, Y.J. and Kim, W.H.
Determination of Ru, Rh, Pd, Te, Mo and Zr in spent pressurized water reactor fuels by ion exchange and extraction chromatographic separations and inductively coupled plasma atomic emission spectrometric analysis 171
Lee, H.-S., see Kim, Y.J. 85
Lee, Y.T., see Kim, Y.J. 85
Li, Y.F., see Lu, W. 151
Lu, W.
—, Huang, C.Z. and Li, Y.F.
Novel assay of thiamine based on its enhancement of total internal reflected resonance light scattering signals of sodium dodecylbenzene sulfonate at the water/tetrachloromethane interface 151

Marco, M.-P., see Ballesteros, B. 105
Matsunaga, T.
—, Ueki, F., Obata, K., Tajima, H., Tanaka, T., Takeyama, H., Goda, Y. and Fujimoto, S.
Fully automated immunoassay system of endocrine disrupting chemicals using monoclonal antibodies chemically conjugated to bacterial magnetic particles 75
Mazzarino, M., see Amendola, L. 125
Mazzocchin, G.A.
—, Agnoli, F. and Mazzocchin, S.
Investigation of a Roman age "bulk pigment" found in Vicenza 181
Mazzocchin, S., see Mazzocchin, G.A. 181
Minett, A.I.
—, Barisci, J.N. and Wallace, G.G.
Coupling conducting polymers and mediated electrochemical responses for the detection of *Listeria* 37
Miyazaki, H., see Hanada, M. 27

Naji, L., see Ganjali, M.R. 59
Nicolas-Debarnot, D.
— and Poncin-Epaillard, F.
Polyaniline as a new sensitive layer for gas sensors 1
Nikolajsen, R.P.H.
—, Booksh, K.S., Hansen, A.M. and Bro, R.
Quantifying catecholamines using multi-way kinetic modelling 137

Obata, K., see Matsunaga, T. 75
Okabayashi, T., see Hanada, M. 27
Onaga, K., see Hanada, M. 27

Park, Y.J., see Lee, C.H. 171
Pettit, C.M., see Garland, J.E. 47
Poncin-Epaillard, F., see Nicolas-Debarnot, D. 1
Pouliquen, H., see Delépée, R. 117
Poursaberi, T., see Ganjali, M.R. 59

Roy, D., see Garland, J.E. 47

Schneider, P., see Ballesteros, B. 105
Shamsipur, M., see Ganjali, M.R. 59
Suh, M.Y., see Lee, C.H. 171

Tajima, H., see Matsunaga, T. 75
Takeyama, H., see Matsunaga, T. 75
Tanaka, K., see Hanada, M. 27
Tanaka, T., see Matsunaga, T. 75

Ueki, F., see Matsunaga, T. 75

Vicente, F., see Korta, E. 97

Wallace, G.G., see Minett, A.I. 37

Zhang, S.
— and Ju, H.
β-Cyclodextrin sensitized chemiluminescence of hemoglobin–hydrogen peroxide–carbonate and its analytical application 163